

EURONICS

+91 8010 930 930 | in@euronics.co.in | www.euronics.co.in

EURONICS INDUSTRIES PRIVATE LIMITED

CORPORATE OFFICE

564-567, Udyog Vihar, Phase V, Sector 19,
Gurugram-122016

MUMBAI

B/003 New India Chamber, MIDC Central Road,
Andheri East, Mumbai, Maharashtra - 400093

HYDERABAD

Plot No. 208, 2nd Floor, Kavuri Hills Phase 2
Hi - Tech City, Madhapur, Hyderabad-500033

SURAT

Velocity Business Hub, 12th Floor, LP Savani Rd,
Adajan, Surat, Gujarat - 395009

KOLKATA

Office No. 419B, PS QUBE, Street Number 11,
Newtown, Kolkata, West Bengal - 700156

INDORE

DevX, 601, 6th floor, NRK Business Park,
PU 4, B/H Mangal City Mall, Indore - 452010

VISAKHAPATANAM

Kailashtowers, MVP Colony, Sector 1,
Near Amma Hospital, Visakhapatnam-530017

NAGPUR

MBW, Maxx Pride, Manish Nagar,
Beltarodi Road, Nagpur-441108

HUBLI

Prashanth Colony, Shirur Park, Vidya Nagar, Hubli,
Karnataka - 580031

TRIVANDRUM

Dotspace Business Center, TC 24/3088
2nd Floor, Kowdiar Trivandrum - 695003

JAIPUR

RAW Office Space, Plot no. 8, Govind Marg,
Block-B, Malviya Nagar, Jaipur, Rajasthan 302017

RAJKOT

Dev X, 3rd Floor, A wing, Om 9 Square 150 Feet Ring Rd
Circle, Nana Mava, Rajkot, Gujarat 360003

BANGALORE

557, Ground Floor, 9th A Main Road, 1st Stage Rd,
Indiranagar, Bengaluru, Karnataka - 560038

VADODARA

3rd Floor, 313 - 321 Neptune Edge,
Dr. Vikram Sarabhai Marg, Vadodara - 390007

NOIDA

3rd Floor, The Iconic Corenthum Building, Sec-62,
Noida, Uttar Pradesh - 201301

UDAIPUR

DevX, 501 - 510, 5th floor, Plot no. A, Paras Prime
Railway Colony, Udaipur, Rajasthan 313001

GLOBAL PRESENCE

US | SPAIN | SINGAPORE | MALAYSIA

* EURONICS is a registered trademark

PUNE

7060, 7th Floor Marvel Feugo, Magarpatta
Road, Hadapsar, Pune, Maharashtra - 411028

AHMEDABAD

401/402 YASH ANANT Opp Old RBI
Ashram Road AHMEDABAD- 380009

CHENNAI

Plot No:90, 1st Floor, Thirumalai Nagar,
Annexe 3rd Cross Street, Chennai-600096

CHANDIGARH

Space Jam, SCO 50-51, 3rd Floor,
Sector-34 A, Chandigarh - 160034

LUCKNOW

NeoHub, 212, 2nd Floor, Levana Cyber Heights,
Vibhuti Khand, Lucknow - 226010

GOA

J N Chambers, Dr. P. Shirgaonkar Road, Panjim,
Goa - 403001

COIMBATORE

No. 11/4, Pooja Garden, Civil Aerodrome Post,
Kalapatti, Coimbatore - 641014

GUWAHATI

183, Shreeji Tower, 3rd Floor, Christian Basti,
Guwahati - 781005

KOCHI

Hilite Platino Room 204, Shankar Nagar,
Kannadikkadu, Maradu, Kochi-682304

BHOPAL

R WorkSquare Plot No-21, Unit No- EC 11,
Near AajTak News, M.p. Nagar, Bhopal - 462011

PATNA

The Hub, 2nd Floor, Near Regent cinema,
Gandhi Maidan Rd, Patna, Bihar - 800004

KANPUR

Workobar Coworking Space, Floor No. 3-B, 3-C,
3-D, 4/275, Tilak Nagar, Kanpur, 208002 (UP)

BHUBANESWAR

OU-640, 6th Floor, Nexus Esplanade
Cuttack-Rd, Bhubaneswar Odisha - 751010

DEHRADUN

J2.0 Jumpstart Haridwar Bypass Road,
Dehradun, Uttarakhand - 248001

JAMMU

7 SEAS International Education, 539 A,
Gandhi Nagar Jammu J & K - 180004

RANCHI

9th Floor, Mahabir Tower, Opp. of JD
Corporate, Main Road Ranchi-834001

OUR MANUFACTURING FACILITY

Euronics Tech Works Private Limited
Plot 7D, Sarhau, Sector 18, Gurugram,
Sarhol, Haryana 122015



Dec 2024 | Edition



EURONICS
ENTRANCE MANAGEMENT



EURONICS ENTREE Industrial & Entrance Management Solution

Experience seamless entry with Euronics Entree, where innovation meets functionality. Designed to enhance safety, efficiency, and aesthetics, our solutions ensure every detail contributes to a lasting first impression.

Built for durability and style, we redefine how businesses manage entrances, setting new standards in excellence and order.



QUICK REFERENCE

SUGGESTIVE SITE APPLICATIONS



CORPORATE



RETAIL



HOTEL



RESTAURANT



INSTITUTION



INDUSTRY



HEALTHCARE



WELLNESS



AIRPORT



METRO

INDICATIVE FEATURES



HOT & COLD



AIR FLOW



TEMPERATURE CONTROL



VANDAL PROOF



COUNTER



TOUCH START



TOUCH FREE



GERM FREE



SENSOR

INDEX

WHO WE ARE



05

WHAT WE DO



06

WHAT WE OFFER



07

OUR CLIENTS



08

SUPER SLIM AIR CURTAIN



11

ENTRANCE MATTING SOLUTIONS



19

QUEUE MANAGERS



27

STEEL BOLLARD



33

SHOE COVER DISPENSERS



35

SHOE SHINING MACHINES



37

India's Largest Washroom Automation Manufacturing Facility

31+

Pan India Offices

4+

International Offices

750+

Team Members

5,00,000+

Satisfied Customers



Euronics has acquired a 2-acre, 1.5 lakh square feet area to open **India's Largest Manufacturing Plant for washroom automation accessories** in the heart of Gurugram. Equipped with state-of-the-art Japanese bending and laser-cutting technology, the facility enhances our capabilities in innovation, production, and design. With a talented team of product designers and engineers driving monthly new product development, this expansion reinforces our commitment to delivering premium, best-in-class solutions while seamlessly managing ambitious projects from concept to completion.

WHO WE ARE

"You Wish; We Deliver"

EURONICS Inspire - your one-stop destination for everything related to public washrooms and hygiene solutions. From cutting-edge washroom automation and stylish bathroom accessories to CP fittings and sanitary ware, we provide comprehensive solutions that transform washrooms into cohesive, functional, and aesthetically pleasing spaces.

Discover the perfect blend of style, functionality, and hygiene with our tailored offerings, designed to meet the unique needs of both large corporations and private individuals. Backed by our in-house manufacturing capabilities, we deliver customized solutions that cater to your specific requirements.

With a legacy of excellence in providing state-of-the-art products, installation equipment, and accessories, EURONICS is committed to transforming washroom facilities across industries. Our solutions are crafted to maintain the highest standards of cleanliness and efficiency while remaining cost-effective and user-friendly.

At EURONICS, we take pride in empowering organizations and individuals with world-class products that reflect impeccable style and integrity. Our commitment to global sustainability initiatives ensures that our practices and products contribute to a greener future.

Experience the EURONICS difference - elevate your washroom facilities with solutions that redefine excellence, hygiene, and sustainability

WE HAVE DELIVERED MORE THAN ONE MILLION FITTING UNITS

WE ARE PROUD,
WE ARE STILL CONTINUING...



WHAT WE DO

Euronics line of utility products and solutions, boast of it's advanced technology that are designed to deliver cost effectiveness, durability, styling and compliance options across varied price-points.

- # USE MATERIALS THAT ARE PRO GREEN
- # CUT DOWN ON RUNNING EXPENSES
- # HELP REDUCE CARBON FOOT PRINT
- # PROVIDE ADVANCED TECHNOLOGY SOLUTIONS
- # INTERNATIONAL HI-DESIGN QUOTIENT PRODUCTS
- # PROVIDE LONG-TERM VALUE PRODUCTS
- # DURABLE LASTING FUNCTIONALITY PRODUCTS
- # REDUCE RECURRING MAINTENANCE

EURONICS HAS ESTABLISHED STATE-OF-THE-ART IN-HOUSE MANUFACTURING FACILITIES, BACKED BY CONSTANT R&D TO INNOVATE, DEVELOP, AND DELIVER UNIQUE PRODUCTS. OUR COMMITMENT IS TO PROVIDE BEST-IN-CLASS OFFERINGS THAT REFLECT OUR DEDICATION TO EXCELLENCE AND CUSTOMER SATISFACTION.

From our earliest innovations to our latest offerings, our extensive catalog now showcases 750+ meticulously crafted products, thoughtfully organized into three distinct verticals. These verticals are designed for seamless navigation and tailored to meet diverse requirements, making selection effortless and precise.

WHAT WE OFFER

EURONICS INSPIRE



HAND DRYERS
WASHROOM PANELS
SENSOR TAPS
URINAL & WC SENSORS
PAPER & SOAP DISPENSERS
GRAB BAR & ACCESSORIES
BABY DIAPER CHANGING STATIONS
BEHIND MIRROR SERIES
FRAGRANCE DISPENSER

BATH & SANITARYWARE



FAUCETS
SANITARYWARE
DESIGNER CERAMIC
CISTERNS
ALLIED
BATHROOM ACCESSORIES
FLOOR GRATING & DRAINS

EURONICS ENTREE



AIR CURTAINS
ENTRANCE MATTING SOLUTIONS
Q MANAGERS
STEEL BOLLARDS
SHOE COVER DISPENSERS
SHOE SHINING MACHINES

WE MAKE IT EASY TO SPECIFY THESE PRODUCTS THROUGH A SEASONED CUSTOMER SERVICE STAFF AND THE BEST INFORMATIONAL TOOLS IN THE INDUSTRY.



RESIDENTIAL



CINEMAS



HOTELS



CORPORATE &
CO-WORKING



HEALTH &
WELLNESS CENTRES



HOSPITALS



AIRPORTS



RETAILS



SCHOOL &
COLLEGES

OUR
CLIENTS
OUR
PRIDE

OUR PRIVILEGED CLIENTS

Microsoft®

Google™

facebook

PVR

DELHI INDIRA GANDHI
INTERNATIONAL AIRPORT

Infosys®

ORACLE®



accenture

IBM

LARSEN & TOUBRO

DLFA
BUILDING INDIA

Coca-Cola

Nestlé

pepsi.

Having crossed 50,000+ projects EURONICS has already forayed into the washroom automation products & solutions industry. Today it has become a reputed name amongst architects and consultants; for its advanced technology, functional durability, timely delivery and prompt after sales service to it's customers.



visit www.euronics.co.in

SUPER SLIM AIR CURTAINS

At EURONICS entree, our centrifugal Air Curtains are with high international quality standards.

The air curtain maintains environmental separation with a light flow of air, that not only results in lowered energy costs but also helps in preventing air borne contaminants & deterring flying insects from moving from one open space to another-enhancing sanitation & hygiene.

Applications

Entrance of Industries, Restaurants, Offices, Malls & other commercial places



**Cooling
Retention Effects**
Prevents cold air to go outside
& hot air to come inside



**Super Sleek
design**
Aesthetics that speaks of Slim design
& looks apt for any modern environment



**Resists ingress
of dirt & insects**
The even air flow pressure
helps in keeping away insects



**Velocity Control
feature**
Gives full access to control the mode of
air curtain depending on door height

EAC

AIR CURTAIN

MS Powder Coated

Upto 11 Feet



KEY FEATURES

Model no.	EAC 3	EAC 4	EAC 5	EAC 6
Body Material	MS Powder Coated	MS Powder Coated	MS Powder Coated	MS Powder Coated
Dimension (mm)	900 x 230 x 212	1200 x 230 x 212	1500 x 230 x 212	1800 x 230 x 212
Max. Air velocity at Nozzle	21 m/s	21 m/s	21 m/s	21 m/s
Noise Level dB	50 - 70 db	50 - 70 db	50 - 70 db	50 - 70 db
No. of Blowers	3	4	5	6
No. of Motors	2	2	3	3
HP	0.56	0.76	0.95	1.12
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
No. of Shafts	1 Single + 1 Double	2 Double	1 Single +2 Double	3 Double
Power Wattage	410 W	560 W	700 W	820 W
Phase	Single	Single	Single	Single
RPM (Max/ Min)	2700 / 2100	2700 / 2100	2700 / 2100	2700 / 2100
Blower Material	ABS	ABS	ABS	ABS
CFM	825	1100	1380	1490
% insect / dust rejection	75%	75%	75%	75%
Effective Height	Below 11 Feet	Below 11 Feet	Below 11 Feet	Below 11 Feet
Weight Kgs.	19	22	26	32
*Parameters may vary 5-10% depending on various conditions.				
Warranty	1 Year	1 Year	1 Year	1 Year

visit www.euronics.co.in



EAS
AIR CURTAIN
Stainless Steel
Upto 11 Feet



KEY FEATURES

Model no.	EAS3	EAS4	EAS5	EAS6
Max. Air velocity at Nozzle	21 m/s	21 m/s	21 m/s	21 m/s
Power (W)	410 W	560 W	700 W	820 W
RPM (Max/ Min)	2700 / 2100	2700 / 2100	2700 / 2100	2700 / 2100
CFM	825	1100	1380	1490
Body Material	Stainless Steel (304 Grade)	Stainless Steel (304 Grade)	Stainless Steel (304 Grade)	Stainless Steel (304 Grade)
Dimension (mm)	900 x 230 x 212	1200 x 230 x 212	1500 x 230 x 212	1800 x 230 x 212
Noise Level dB	50 - 70 db	50 - 70 db	50 - 70 db	50 - 70 db
No. of Blowers	3	4	5	6
No. of Motors	2	2	3	3
No. of Shafts	1 Single + 1 Double	2 Double	1 Single+2 Double	3 Double
Blower Material	ABS	ABS	ABS	ABS
Phase	Single	Single	Single	Single
Effective height	Below 11 feet	Below 11 feet	Below 11 feet	Below 11 feet
Weight Kgs	19	22	26	32
*Parameters may vary 5 - 10% depending on various conditions.				
Warranty	1 Year	1 Year	1 Year	1 Year

ABE
AIR CURTAIN
ABS Body with Inbuilt Sensor & Remote
Upto 11 Feet



KEY FEATURES

Model no.	ABE 3	ABE 4	ABE 5
Body Material	Plastic	Plastic	Plastic
Dimension (mm)	900 x 230 x 220	1200 x 230 x 220	1500 x 230 x 220
Max. Air velocity at Nozzle	21 m/s	21 m/s	21 m/s
Noise Level dB	47 - 52 db	49 - 54 db	50 - 55 db
No. of Blowers	3	4	5
No. of Motors	2	2	3
HP	0.56	0.76	0.95
Voltage	220V/50Hz	220V/50Hz	220V/50Hz
No. of Shafts	1 Single + 1 Double	2 Double	1 Single +2 Double
Power Wattage	410 W	560 W	700 W
Phase	Single	Single	Single
RPM (Max/ Min)	2700 / 2100	2700 / 2100	2700 / 2100
Blower Material	ABS	ABS	ABS
CFM	825	1100	1380
% insect/ dust rejection	75%	75%	75%
Effective Height	Below 11 Feet	Below 11 Feet	Below 11 Feet
Weight Kgs.	15	19	25
*Parameters may vary 5 - 10% depending on various conditions.			
Warranty	1 Year	1 Year	1 Year



EIA

INDUSTRIAL AIR CURTAIN

MS Powder Coated

Upto 22 Feet



INDUSTRIAL
USE



KEY FEATURES

Model no.	EIA3	EIA4	EIA5
Body Material	MS Powder Coated	MS Powder Coated	MS Powder Coated
Dimension (mm)	914 x 345 x 351	1218x 345 x 351	1523 x 345 x 351
Max. Air velocity at Nozzle	24 m/s	24 m/s	24 m/s
Noise Level dB	<65 db	<66 db	<68 db
No. of Blowers	2	3	4
No. of Motors	1	2	2
HP	1.5	2.24	2.99
Power Wattage	1100 W	1650 W	2200 W
Phase	Three	Three	Three
RPM (Max/ Min)	2700	2700	2700
CFM	2200	2950	3680
Blower Material	Galvanise Steel	Galvanise Steel	Galvanise Steel
Voltage	440v/50hz	440v/50hz	440v/50hz
Effective height	Above 11 Feet	Above 11 Feet	Above 11 Feet
Weight Kgs.	44	51	62

*Parameters may vary 5 - 10% depending on various conditions.

Warranty	1 Year	1 Year	1 Year
----------	--------	--------	--------

EIS

INDUSTRIAL AIR CURTAIN

Stainless Steel

Upto 22 Feet



INDUSTRIAL
USE



KEY FEATURES

Model no.	EIS3	EIS4	EIS5
Body Material	Stainless Steel (304 grade)	Stainless Steel (304 grade)	Stainless Steel (304 grade)
Dimension (mm)	914 x 345 x 351	1218x 345 x 351	1523 x 345 x 351
Max. Air velocity at Nozzle	24 m/s	24 m/s	24 m/s
Noise Level dB	<65 db	<66 db	<68 db
No. of Blowers	2	3	4
No. of Motors	1	2	2
HP	1.5	2.24	2.99
Power Wattage	1100 W	1650 W	2200 W
Phase	Three	Three	Three
RPM (Max/ Min)	2700	2700	2700
CFM	2200	2950	3680
Blower Material	Galvanise Steel	Galvanise Steel	Galvanise Steel
Voltage	440v/50hz	440v/50hz	440v/50hz
Effective height	Above 11 Feet	Above 11 Feet	Above 11 Feet
Weight Kgs.	44	51	62

*Parameters may vary 5 - 10% depending on various conditions.

Warranty	1 Year	1 Year	1 Year
----------	--------	--------	--------

ENTRANCE MATTING SOLUTIONS

EXCELLENT & DURABLE MATTING
SOLUTIONS THAT KEEP SPACES CLEAN & DRY

At EURONICS Entree, we offer a wide range of innovative entrance matting solutions designed to protect floors and carpets from dirt and debris. Combining safety, quality, and durability, our mats come in various colors, shapes, and sizes to suit any decor and traffic level.

Ideal for hotels, offices, industries, malls, and hospitals, Euronics Matting Products are cost-effective and built to perform.



visit www.euronics.co.in


ALUMINIUM DUST BUSTER

5014 ALUMINIUM MATTING

Recessed / Surface


Our Dust - Buster Recessed Aluminium Matting is ideally suited for high traffic areas and also keeps floors clean & dry by providing exceptional wiping/scraping action. These aluminium profiles are Antirust and can be concealed inside the flooring, which gives an premium look to the entrance area.

COLORS



EXTRA

Side edging for the floor installation



Position of Matting	Inside/Foyer Area
Material	Aluminium Profile with Carpet
Area	High Traffic
Colours	Brown, Grey
Profile Height	14.5 mm
Total Height	19.5 mm
Recess Required	15 mm
Pedestrian Traffic	Upto 10 Lakh (Annually)
Trolley Crossings	Heavy Trolley
Maintenance	Easy to clean
Application	Recessed / Surface
Warranty	5 Years

*Sizes may vary upto ± 0.30 mm


INTERCONNECTED ROLLING

6015 ALUMINIUM MATTING





Recessed interconnected rolling Aluminium Matting adds to your 'Business' overall appearance, cleanliness, customer satisfaction and safety. These Aluminium profiles assembled with stainless steel rope to allow matting to be rolled back for cleaning. The profiles are Antirust and can be concealed inside the flooring, which gives an excellent look to the entrance area. Space between profiles allows soil to fall through (suitable for high heel traffic).

COLORS



EXTRA



Side edging for the floor installation



Position of Matting	Inside/Foyer Area
Material	Aluminium Profile with Carpet
Profile Colors	Silver or Black*
Area	High Traffic
Profile Height	17.9mm
Total Height	25.6 mm
Recess Required	19.6 mm
Pedestrian Traffic	Upto 10 Lakh (Annually)
Trolley Crossings	Heavy Trolley
Maintenance	Easy to clean
Application	Recessed / Surface
Warranty	5 Years

INTERCONNECTED ROLLING

7015, SLIM ALUMINIUM MATTING



Position of Matting	Inside/Foyer Area
Material	Aluminium Profile with Carpet
Profile Colors	Silver
Area	Medium Traffic
Profile Height	7.8 mm
Total Height	15.2 mm
Recess Required	9.5 mm
Pedestrian Traffic	Upto 8 Lakh (Annually)
Trolley Crossings	Medium Trolley
Maintenance	Easy to clean
Application	Recessed / Surface
Warranty	3 Years

ENIGMA MODULAR MATTING

INTERLOCKING TILES

Surface



ENIGMA MODULAR interlocking tiles is a new generation matting system is designed for extra heavy duty traffic combining attractiveness with performace - dual action of scrapping and absorbing for effective elimination of dirt, dust and moisture. Montreo Carpet inside the tile prevents fine dust particles and moisture from entering inside the door. Each tile is 300 x 300 mm square and 18mm depth. The large open scraper profiles incorporate ‘heel steps’ to prevent heel trapping.

Application: Main porch area of 5 Start Hotels / Office / Malls.

COLORS



GREY



Position of Matting	Main Porch Entrance Area
Material	EVA frame with Carpet
Area	High Traffic
Colours	4025G, Grey
Tile Height	18 mm
Tile Size	300 mm x 300 mm
Connection	Interlocking
Pedestrian Traffic	Upto 10 Lakh (Annually)
Trolley Crossings	Heavy Trolley
Maintenance	Easy to clean
Application	Surface/Recessed
Warranty	3 Years


MONTERO CARPET MATTING

ABSORBS MOISTURE & DIRT

Surface



Montreo Carpet Matting: Absorbs Moisture & Dirt. It is carpet-type entrance matting. Provides excellent dirt and water removal. Holds dirt and moisture off the floor. Durable and stain resistant. Vinyl backing won't stain the floor and helps prevent dirt and moisture from penetrating through the mat to the floor.



Model No.	Montreo 3015	Montreo 3012	Montreo 3006
Position of Matting	Inside / Foyer	Inside / Foyer	Inside / Foyer
Material	Nylon with Fibre	Nylon/ Polyprop	Nylon/ Polyprop with fiber
Area	High Traffic	Medium Traffic	Low Traffic
Available Colours	Grey	Grey, Brown	Grey, Brown
Shape	Carpet	Carpet	Ribbed Carpet
Backing	Hard Rubber	Hard Rubber	Rubber
Tear	Not Possible	Not Possible	Not Possible
Pedestrian Traffic	10 Lakh (Annually)	8 lakhs (Annually)	2 lakh (Annually)
Trolley Crossing	Heavy Trolley	Heavy Trolley	Light Trolley
Width	4 & 5 Feet	4 & 5 Feet	4 feet
Maintenance	Easy to Clean	Easy to Clean	Easy to Clean
Colors	 DARK GREY	 DARK GREY	 BROWN


TRAPPER LOOP MATTING

TRAPS, HOLD & HIDES DIRT

Recessed / Surface



Trapper Matting Traps, Hold & Hides Dirt is a vinyl looped construction – An ideal mat for front entrances/exit areas. The unique ‘loop’ pattern gives it excellent properties for the retention of dirt, dust, debris, fluids from dirty feet, footwear and also allows for easy cleaning when soiled.



Model No.	Trapper 1018	Trapper 1016	Trapper 1013
Position of Matting	Outdoors or Recessed Area	Outdoor or Recessed Area	Outdoor or Recessed Area
Material	PVC Vinyl	PVC Vinyl	PVC Vinyl
Area	High Traffic	Medium Traffic	Low Traffic
Available Colours	Grey	Grey	Grey
Shape	Loop	Loop	Loop
Backing	Hard	Hard	Soft
Tear	Difficult	Difficult	Easy
Pedestrian Traffic	4 Lakhs Annually	4 lakhs Annually	1 lakhs Annually
Trolley Crossing	Light Trolley	Light Trolley	Trolley Not Advisable
Width	4 Feet	4 feet	4 feet
Maintenance	Easy to Clean	Easy to Clean	Easy to Clean
Colors	 GREY	 GREY	 GREY


X-LERATOR ZIGZAG MATTING

REMOVES DIRT & DEBRIS

Recessed / Surface



X-Lerator Matting : X Web with sharp edges designed to remove heavy amount of dirt. It is a vinyl X web unpacked construction – An ideal mat for front entrances/exit areas and excellent for foyers and recessed wells. The unique X web pattern scrape dirt and moisture from shoes to minimize slips and fall accidents.



Model No.	X-Lerator 2011	X-Lerator 2085	X-Lerator 2050
Position of Matting	Outdoors or Wet Area	Outdoor or Wet Area	Outdoor or Wet Area
Material	PVC Vinyl	PVC Vinyl	PVC Vinyl
Area	High Traffic	Medium Traffic	Low Traffic
Available Colours	Grey	Grey	Grey
Shape	X-Web	X - Web	X - Web
Backing	Unbacked	Unbacked	Unbacked
Tear	Impossible	Difficult	Easy
Pedestrian Traffic	8 Lakhs Annually	4 lakhs Annually	1 lakh Annually
Trolley Crossing	Heavy Trolley	Light Trolley	Trolley Not Advisable
Width	4 Feet	4 feet	4 feet
Maintenance	Easy to Clean	Easy to Clean	Easy to Clean
Color	 GREY	 GREY	 GREY



Code: 1G - Grey Straight Ribbed



Code: 2B - Brown Straight Ribbed



Code: 5G - Grey Stripe Carpet



Code: 8R - Black Ribbed Rubber Profile



Code: 7B - Black Brush Profile

QUEUE MANAGERS

SMOOTHER QUEUES, BETTER EXPERIENCES


Smart products from EURONICS entree, presents Queue Manager systems used for many different purposes including crowd control & waiting lines, that gives a fast and easy, professional look with a dash of utility & performance.

Applications: Bank, Airport, Railways, Malls, Cinemas




CQM1S
RETRACTABLE BELT
STANCHAIRS

Material	Stainless Steel
Height of Pole	930 mm
Diameter of Base	330 mm
Weight	7.1 kgs
Belt Length	2 Meters
Belt Color	Blue/Black/Red



EQM1L
RETRACTABLE BELT STANCHIONS
Stainless Steel

Height of Pole	1130 mm
Diameter of Base	350 mm
Weight	9.1 kgs
Belt Length	2 Meters
Belt Color	Blue/Black/Red




SQM5
STACKABLE
QUEUE MANAGER

Height of Pole	880 mm
Diameter of Base	350 mm
Weight	9.5kgs
Belt Length	2 Meters
Belt Color	Blue/Black/Red




EQM4D
DOUBLE CASSETTES
Stainless Steel

Material	Stainless Steel
Height of Pole	1130 mm
Diameter of Base	350 mm
Weight	9.5 kgs
Belt Length	2 Meters
Belt Color	Blue/Black/Red



EQM6
WALL MOUNTING Q MANAGER
Stainless Steel

Belt length	2 Meters
Rope Colour	Blue/Black/Red




EQM2P

CLASSIC POST WITH ROPE BARRIER

Stainless Steel

Height of Pole	1000 mm
Diameter of Base	350 mm
Weight	9.5 kgs
Rope Length	1.5 Meters
Rope Colour	Blue/Black/Red




EQM3G

GOLD CLASSIC

POST WITH ROPE BARRIER

Height of Pole	1000 mm
Diameter of Base	350 mm
Weight	7.5 kgs
Rope Length	1.5 Meters
Rope Colour	Blue/Black/Red




EQM8

WALL MOUNTING Q MANAGER

Stainless Steel

Belt length	3 Meters
Rope Colour	Black & Yellow



Rope For Queue Manager - Gold

 RVGH Red Rope, Valvet Rope Golden Hook	 LVGH Blue Rope, Valvet Rope Golden Hook	 BVGH Black Rope, Valvet Rope Golden Hook
 RTGH Red Rope, Twisted Thread Golden Hook	 LTGH Blue Rope, Twisted Thread Golden Hook	 BTGH Black Rope, Twisted Thread Golden Hook

Rope For Queue Manager - Silver

 RVSH Red Rope, Valvet Rope Silver Hook	 LVSH Blue Rope, Valvet Rope Silver Hook	 BVSH Black Rope, Valvet Rope Silver Hook
 RTSH Red Rope, Twisted Thread Silver Hook	 LTSH Blue Rope, Twisted Thread Silver Hook	 BTSH Black Rope, Twisted Thread Silver Hook

Any other color can be customised at extra cost the Minimum Quantity should be ≥ 40.

STEEL BOLLARDS

PERFECT BLEND OF UTILITY & PERFORMANCE

Euronics Steel Bollards are used to form an architectural barricading. Bollards act as visual guide, guide traffic & mark boundaries. Steel Bollards can also be constructed to block vehicle entry, protecting people & building. Our bollards are made of high quality stainless steel, giving impeccable appearance & life.




visit www.euronics.co.in

SSB02S

FIXED BOLLARD
SURFACE MOUNT


Material	Stainless Steel 304 Grade
Height of Pole	900 mm
Diameter of Pole	114 mm
Thickness Of Pole Sheet	2 mm



SSB04T

FIXED BOLLARD
SURFACE MOUNT

Material	Stainless Steel 304 Grade
Height of Pole	900 mm
Diameter of Pole	114 mm
Thickness Of Pole Sheet	2 mm



SHOE COVER DISPENSER

SLIP ON, STEP IN, STAY CLEAN

EURONICS entree has been successfully offering durable and high finish Shoe Cover Dispensers, that help protect your floors, prevent contamination and maintains a clean, professional & hygienic environment.

Built sturdy, practical, cost-effective and convenient designed makes it the preferred choice. Perfect Applications for Sample Flats, Hospitals, Clinics, Hotels, Pharmaceutical Companies, Factories, Kitchen and office premises etc.



ESCD1

SHOE COVER DISPENSING MACHINE
Automatic

Compatible Shoe Cover

Code: C1N, Non - Woven Shoe Covers
Code: C1P, Plastic Shoe Covers

Operation	Fully Automatic
Voltage	220V / 50Hz
Rated Power	20W
Automatic	Shoe Counting Function
Loading Capacity	50 Covers (Non-woven)
Loading Capacity	80 Covers (Plastic)
Dimension	750 x 300 x 630 mm



ESCD2

SHOE COVER DISPENSING MACHINE
Semi-Automatic

Compatible Shoe Cover

Code: C2P, Plastic Shoe Covers

Operation	Manual
Material	Aluminium
Loading Capacity	100 Plastic Covers
Dimension	470 x 260 x 170 mm



SHOE SHINING

LET’S STEP OUT WITH A SHINE

The elegant shoe shine machine from EURONICS Entree is a high quality care product for your footwear. Crafted from high quality materials and boasting a sleek design, our premium shoe shine machine will give you gleaming shoes in seconds.

With its stylish shape and modest dimension this model is the perfect shoe care item for a hotels or offices



KSM5
AUTOMATIC SHOE SHINING MACHINE
Stainless Steel

Operation	Fully Automatic
Material	Stainless Steel/Satin Finish
Voltage	220V / 50Hz
Rated Power	40 W
RPM	1400
Time Protection	15 sec
Container capacity	200 ML
Dimension	370 x 370 x 445 mm



ESM4
SHOE SHINING MACHINE
With Sole Cleaner

Operation	Fully Automatic
Material	Stainless Steel/Wooden
Voltage	220V / 50Hz
Rated Power	40 W
RPM	1400
Time Protection	15 sec
Container capacity	200 ML
Dimension	510 x 320 x 495 mm



EURONICS

+91 8010 930 930 | in@euronics.co.in | www.euronics.co.in

EURONICS INDUSTRIES PRIVATE LIMITED

CORPORATE OFFICE

564-567, Udyog Vihar, Phase V, Sector 19,
Gurugram-122016

MUMBAI

B/003, New India Chamber, MIDC Central Road,
Andheri East, Mumbai, Maharashtra - 400093

HYDERABAD

Plot No. 208, 2nd Floor, Kavuri Hills Phase 2
Hi - Tech City, Madhapur, Hyderabad-500033

SURAT

Velocity Business Hub, 12th Floor, LP Savani Rd,
Adajan, Surat, Gujarat - 395009

KOLKATA

Office No. 419B, PS QUBE, Street Number 11,
Newtown, Kolkata, West Bengal - 700156

INDORE

DevX, 601, 6th floor, NRK Business Park,
PU 4, B/H Mangal City Mall, Indore - 452010

VISAKHAPATANAM

Kailashtowers, MVP Colony, Sector 1,
Near Amma Hospital, Visakhapatnam-530017

NAGPUR

MBW, Maxx Pride, Manish Nagar,
Beltarodi Road, Nagpur-441108

HUBLI

Prashanth Colony, Shirur Park, Vidya Nagar, Hubli,
Karnataka - 580031

TRIVANDRUM

Dotspace Business Center, TC 24/3088
2nd Floor, Kowdiar, Trivandrum - 695003

JAIPUR

RAW Office Space, Plot no. 8, Govind Marg,
Block-B, Malviya Nagar, Jaipur, Rajasthan 302017

RAJKOT

Dev X, 3rd Floor, A wing, Om 9 Square 150 Feet Ring Rd
Circle, Nana Mava, Rajkot, Gujarat 360003

BANGALORE

557, Ground Floor, 9th A Main Road, 1st Stage Rd,
Indiranagar, Bengaluru, Karnataka - 560038

VADODARA

3rd Floor, 313 - 321 Neptune Edge,
Dr. Vikram Sarabhai Marg, Vadodara - 390007

NOIDA

3rd Floor, The Iconic Corenthum Building, Sec-62,
Noida, Uttar Pradesh - 201301

UDAIPUR

DevX, 501 - 510, 5th floor, Plot no. A, Paras Prime
Railway Colony, Udaipur, Rajasthan 313001

GLOBAL PRESENCE

US | SPAIN | SINGAPORE | MALAYSIA

* EURONICS is a registered trademark

PUNE

7060, 7th Floor Marvel Feugo, Magarpatta
Road, Hadapsar, Pune, Maharashtra - 411028

AHMEDABAD

401/402 YASH ANANT Opp Old RBI
Ashram Road AHMEDABAD- 380009

CHENNAI

Plot No:90, 1st Floor, Thirumalai Nagar,
Annexe 3rd Cross Street, Chennai-600096

CHANDIGARH

Space Jam, SCO 50-51, 3rd Floor,
Sector-34 A, Chandigarh - 160034

LUCKNOW

NeoHub, 212, 2nd Floor, Levana Cyber Heights,
Vibhuti Khand, Lucknow - 226010

GOA

J N Chambers, Dr. P. Shirgaonkar Road, Panjim,
Goa - 403001

COIMBATORE

No. 11/4, Pooja Garden, Civil Aerodrome Post,
Kalapatti, Coimbatore - 641014

GUWAHATI

183, Shreeji Tower, 3rd Floor, Christian Basti,
Guwahati - 781005

KOCHI

Hilite Platino Room 204, Shankar Nagar,
Kannadikkadu, Maradu, Kochi-682304

BHOPAL

R WorkSquare Plot No-21, Unit No- EC 11,
Near AajTak News, M.p. Nagar, Bhopal - 462011

PATNA

The Hub, 2nd Floor, Near Regent cinema,
Gandhi Maidan Rd, Patna, Bihar - 800004

KANPUR

Workobar Coworking Space, Floor No. 3-B, 3-C,
3-D, 4/275, Tilak Nagar, Kanpur, 208002 (UP)

BHUBANESWAR

OU-640, 6th Floor, Nexus Esplanade
Cuttack-Rd, Bhubaneswar Odisha - 751010

DEHRADUN

J2.0 Jumpstart Haridwar Bypass Road,
Dehradun, Uttarakhand - 248001

JAMMU

7 SEAS International Education, 539 A,
Gandhi Nagar Jammu J & K - 180004

RANCHI


9th Floor, Mahabir Tower, Opp. of JD
Corporate, Main Road Ranchi-834001

OUR MANUFACTURING FACILITY

Euronics Tech Works Private Limited
Plot 7D, Sarhaul, Sector 18, Gurugram,
Sarhol, Haryana 122015



Jan 2025 | Edition



EURONICS
SUSTAINABLE WASHROOM AUTOMATION



OUR INNOVATION

Sustainably Crafting a Better
Tomorrow

We are proud to house a talented team of product designers and engineers dedicated to new product development. Our team excels in product customization, offering tailor-made solutions to meet the unique needs and preferences of our clients. With their expertise and creativity, we continually push the boundaries of innovation to bring fresh ideas and solutions to market.



QUICK REFERENCE

SUGGESTIVE SITE APPLICATIONS

- CORPORATE
- RETAIL
- HOTEL
- RESTAURANT
- INSTITUTION
- INDUSTRY
- HEALTHCARE
- WELLNESS
- AIRPORT
- METRO

INDICATIVE FEATURES

- HOT & COLD
- AIR FLOW
- NO PAPER/TOISSUE
- PAPER/ TISSUE
- TIME
- TOUCH START
- TOUCH FREE
- GERM FREE
- DISABLED ACCESS
- INFRA RED SENSOR
- TEMPERATURE CONTROL
- VANDAL PROOF
- WASTE RECEPTACLE
- SENSOR TAP
- WATER SAVER
- BATTERY OPERATED
- LIQUID DISPENSER
- GREEN ENERGY
- CHILD CARE
- CHILD CARE STATION

INDEX

WHO WE ARE



05

WHAT WE DO



06

WHAT WE OFFER



07

OUR CLIENTS



09

HAND DRYERS




11

WASHROOM PANELS



25

SENSOR URINALS



35

SENSOR TAPS



39

CONCEALED CISTERNS



47

PAPER DISPENSERS



53

ADD ON ACCESSORIES




59

SOAP DISPENSERS




63

BEHIND MIRROR




71

FRAGRANCE & SANITIZER DISPENSER



75

DISABLED - ACCESS GRAB BARS



77

BABY DIAPER CHANGING STATIONS



83

India's Largest Washroom Automation Manufacturing Facility

31+

Pan India Offices

4+

International Offices

750+

Team Members

5,00,000+

Satisfied Customers



Euronics has acquired a 2-acre, 1.5 lakh square feet area to open **India's Largest Manufacturing Plant for washroom automation accessories** in the heart of Gurugram. Equipped with state-of-the-art Japanese bending and laser-cutting technology, the facility enhances our capabilities in innovation, production, and design. With a talented team of product designers and engineers driving monthly new product development, this expansion reinforces our commitment to delivering premium, best-in-class solutions while seamlessly managing ambitious projects from concept to completion.

WHO WE ARE

"You Wish; We Deliver"

EURONICS Inspire – your one-stop destination for everything related to public washrooms and hygiene solutions. From cutting-edge washroom automation and stylish bathroom accessories to CP fittings and sanitary ware, we provide comprehensive solutions that transform washrooms into cohesive, functional, and aesthetically pleasing spaces.

Discover the perfect blend of style, functionality, and hygiene with our tailored offerings, designed to meet the unique needs of both large corporations and private individuals. Backed by our in-house manufacturing capabilities, we deliver customized solutions that cater to your specific requirements.

With a legacy of excellence in providing state-of-the-art products, installation equipment, and accessories, EURONICS is committed to transforming washroom facilities across industries. Our solutions are crafted to maintain the highest standards of cleanliness and efficiency while remaining cost-effective and user-friendly.

At EURONICS, we take pride in empowering organizations and individuals with world-class products that reflect impeccable style and integrity. Our commitment to global sustainability initiatives ensures that our practices and products contribute to a greener future.

Experience the EURONICS difference – elevate your washroom facilities with solutions that redefine excellence, hygiene, and sustainability

WE HAVE DELIVERED MORE THAN ONE MILLION FITTING UNITS

WE ARE PROUD,
WE ARE STILL CONTINUING...



WHAT WE DO

SHAPING THE FUTURE OF WASHROOM AUTOMATION

At Euronics, we don't just create products; we design experiences. Our washroom automation solutions are inspired by the latest industry trends, combining smart technology, sustainability, and user-centric designs to transform spaces into modern sanctuaries of hygiene and efficiency.

WHY THIS MATTERS TODAY

Modern restrooms are no longer mere utilities; they reflect brand values and user priorities. Businesses seek solutions that embody.



Sustainable by Design

All our products are Green Building Certified



Intelligent Hygiene Solutions

Equipped with sensor-based automation, ensuring contactless operation



Enhanced User Experience

Ergonomic designs, intuitive interfaces, and premium aesthetics



Operational Efficiency

Reduce costs and enhance facility management.

With decades of expertise, global collaborations, and an in-house R&D team, Euronics is at the forefront of the washroom automation revolution. We don't just follow trends; we define them. Together, let's create smarter, greener, and better spaces.

From our earliest innovations to our latest offerings, our extensive catalog now showcases 750+ meticulously crafted products, thoughtfully organized into three distinct verticals. These verticals are designed for seamless navigation and tailored to meet diverse requirements, making selection effortless and precise.

WHAT WE OFFER

EURONICS INSPIRE



HAND DRYERS
WASHROOM PANELS
SENSOR TAPS
URINAL & WC SENSORS
PAPER & SOAP DISPENSERS
GRAB BAR & ACCESSORIES
BABY DIAPER CHANGING STATIONS
BEHIND MIRROR SERIES
FRAGRANCE DISPENSER

BATH & SANITARYWARE



FAUCETS
SANITARYWARE
DESIGNER CERAMIC
CISTERNS
ALLIED
BATHROOM ACCESSORIES
FLOOR GRATING & DRAINS

EURONICS ENTREE



AIR CURTAINS
ENTRANCE MATTING SOLUTIONS
Q MANAGERS
STEEL BOLLARDS
SHOE COVER DISPENSERS
SHOE SHINING MACHINES

WE MAKE IT EASY TO SPECIFY THESE PRODUCTS THROUGH A SEASONED CUSTOMER SERVICE STAFF AND THE BEST INFORMATIONAL TOOLS IN THE INDUSTRY.



RESIDENTIAL



CINEMAS



HOTELS



CORPORATE &
CO-WORKING



HEALTH &
WELLNESS CENTRES



HOSPITALS



AIRPORTS



RETAILS



SCHOOL &
COLLEGES

OUR
CLIENTS
OUR
PRIDE

OUR PRIVILEGED CLIENTS

Microsoft®

Google™

facebook

PVR

DELHI INDIRA GANDHI
INTERNATIONAL AIRPORT

Infosys®

ORACLE®



accenture

IBM

LARSEN & TOUBRO

DLF BUILDING INDIA

Coca-Cola

Nestlé

pepsi.

Having crossed 50,000+ projects EURONICS has already forayed into the washroom automation products & solutions industry. Today it has become a reputed name amongst architects and consultants; for its advanced technology, functional durability, timely delivery and prompt after sales service to it's customers.



HIGH SPEED HAND DRYERS

Innovative technology from EURONICS inspire, makes hand drying fast and easy.

Designed with a high-velocity air stream that completely eliminates water droplets and vapor, it dries hands in seconds.

Energy Efficient technology makes it the preferred choice.

**95% COST SAVINGS
OVER PAPER TOWELS**

**VIRTUALLY
MAINTENANCE FREE**

**REDUCE CARBON
FOOTPRINT**

TECHNOLOGY THAT BRINGS,
NOTHING LESS THAN COMFORT



Saves electricity
80% energy saving
vs conventional Hand Dryers



Hygienic environment
Keeps your hands
and washroom germ free



Reduces carbon footprint
70% lesser carbon footprint
as compared to paper dispensers




Saves money
Saves upto Rs. 40,000 per washroom
per year vs Paper Dispensers

JET HAND DRYER
WITH HEPA FILTER
Stainless Steel - High Traffic



KEY FEATURES

Model No.	XJD3B	STAHL-SJD2S
Construction	Stainless Steel # 304 Grade	Stainless Steel # 304 Grade
Motor	Brushless DC type	Brush AC type
Suitable Traffic	High	Medium
Mounting	Wall Mounted	Wall Mounted
Operation	Touch-Free Infra-Red	Touch-Free Infra-Red
Hand Dry Time	7-10 secs	12-15 secs
Auto Cutoff	30 seconds	30 seconds
Noise Level	70 db(A)	80 db(A)
Speed	21,000 RPM	21,000 RPM
Voltage	220V / 50 Hz	220V / 50 Hz
Rated Power	750W/1650W	750W/1650W
Heater Element	Yes	Yes
Current	7.5 A	7.5 A
Protection Class	IPX4	IPX4
Blowing Volume	170 m3/h	150 m3/h
Air Speed	92 m/s	86 m/s
HEPA Filter	Yes	Yes
Warranty on Motor	5 Years	2 Years
Warranty on Machine	2 Years	2 Years




JET HAND DRYER
WITH HEPA FILTER
High Traffic



KEY FEATURES

Model No.	YZD3N	EJD4N
Construction	Polycarbonate ABS casing	Polycarbonate ABS casing
Motor	Brushless DC type	Brush DC type
Suitable Traffic	High	Medium
Mounting	Wall Mounted	Wall Mounted
Operation	Touch-Free Infra-Red	Touch-Free Infra-Red
Hand Dry Time	12-15 secs	12-15 secs
Auto Cutoff	30 Sec	30 seconds
Noise Level	80 db(A)	80 db(A)
Speed	21,000 RPM	21,000 RPM
Voltage	220V / 50 Hz	220V / 50 Hz
Rated Power	800W	800W
Current	6.5 A	6.5 A
Protection Class	IPX4	IPX4
Blowing Volume	150 m3/h	150 m3/h
Air Speed	95 m/s	95 m/s
Electrical Isolation	Class I	Class I
Heating Element	Yes	Yes
HEPA Filter	Yes	Yes
Warranty on Motor	3 Years	12 Months
Warranty on Machine	2 Years	12 Months




RHD2
HAND DRYER
RECESSED

Dry hand
in less than
30 Sec.

NERO

AMBRIA



KEY FEATURES

Casing	Stainless Steel # 304 Grade
Mounting	Recessed
Operation	Touch-Free Infra-Red activation
Sensor Range	12 cm - 15 cm
Hand Dry Time	Less than 30 secs
Auto Cutoff	60 seconds
Motor	Brush AC Type
Speed	25,000 RPM
Rated Power	1350 W (Motor 550 W + 800 W Element)
Protection Class	IPX1
Current	15 A
Blowing Volume	> 270 m3/H
Air Speed	95 m/s
Wall Opening required	323mm (W) x 445mm (H) x 102mm (D)



PHD06S

V-SHAPE HAND DRYER

Heavy Duty - Stainless Steel




V- SHAPE
AIR THROW



NERO



AMBRIA




KEY FEATURES

Construction	Stainless Steel # 304 Non Magnetic, Matt Finish
Mounting	Wall Mounted
Operation	Automatic
Hand Dry Time	9 Sec
Auto Cutoff	60 seconds
Noise Level	60-70db
Motor	Brush AC Type
Speed	30,000 RPM
Voltage	220-240V
Rated Power	1000W
Current	6A
Protection Class	IPx4
Blowing Volume	280m³/h
Air Speed	90m/s

EH210N

STAINLESS STEEL

HAND DRYER



NERO




AMBRIA

KEY FEATURES

Casing	Stainless Steel #304 Grade
Filter	HEPA Filter
Mounting	Wall Mounted
Operation	Automatic
Sensor Range	12 cm - 15 cm
Hand Dry Time	Less than 20 secs
Auto Cutoff	60 seconds
Motor	Brush Type, Dual Ball Bearings
Speed	26,000 RPM
Rated Power	1800 W
Protection Class	IPX1
Blowing Volume	> 270 m3/H
Air Speed	90 m/s




ULTRA THIN STEEL
HIGH SPEED HAND DRYER



KEY FEATURES

Model.No	EH24S	EH35B
Casing	Stainless Steel #304 Grade	Stainless Steel #304 Grade
Mounting	Wall Mounted	Wall Mounted
Operation	Infrared automatic	Infrared automatic
Hand Dry Time	18 secs	16 secs
Auto Cutoff	60 seconds	60 seconds
Motor	Brush AC Type	Brushless DC Type
Speed	35,000 RPM	26,000 RPM
Rated Power	400W-950W	400W-1150W
Protection Class	IPX1	IPX1
Blowing Volume	165 m³/H	180 m³/H
Air Speed	85m/s	100m/s
Traffic	Medium	High

EH270N
STAINLESS STEEL HAND DRYER
Moderate Traffic



KEY FEATURES



Casing	Stainless Steel # 304 Grade
Filter	HEPA Filter
Mounting	Wall Mounted
Operation	Automatic
Sensor Range	12 cm - 15 cm
Hand Dry Time	Less than 30 secs
Auto Cutoff	60 seconds
Motor	Brush AC Type
Speed	30,000 RPM
Rated Power	1000 W (Motor 500 W + 500 W Element)
Protection Class	IPX3
Blowing Volume	> 270 m³/H
Air Speed	100 m/s



PHD501
HI-SPEED HAND DRYER
Medium Traffic





V-SHAPE
AIR THROW



KEY FEATURES

Construction	Polycarbonate ABS casing
Mounting	Wall Mounted
Operation	Touch-Free Infra-Red activation
Hand Dry Time	Less than 25 secs
Auto Cutoff	30 seconds
Noise Level	60-80 db(A)
Motor	Brush AC type
Speed	25,000 RPM
Voltage	220 V / 50 Hz
Rated Power	1000W
Current	5-9 A
Protection Class	IPX1
Blowing Volume	150 m3/h
Air Speed	90 m/s
Colour	Grey, Black, White

EH220N
ABS HAND DRYER



KEY FEATURES

Construction	ABS Plastic
Mounting	Wall Mounted
Operation	Automatic
Hand Dry Time	45-60 seconds
Auto Cutoff	60 seconds
Motor	Brush Motor
Speed	25,600 RPM
Rated Power	1150-1350 W
Blowing Volume	97.2 m3/H
Air Speed	60 m/s





PROFESSIONAL TECHNOLOGY, THAT
BRINGS, PERFORMANCE & UTILITY.

WASHROOM PANELS

Smart technologies from EURONICS inspire, presents washroom panel systems, that gives a fast and easy, professional look with a dash of utility & performance.

Full-height panels that offer right from energy efficient built-in hand-dryers, paper dispensers to waste receptacles.

Built sturdy, designed to maintain hygiene, makes it the preferred choice.



Long Lasting Life

Full assurance of best quality
304 grade stainless steel



Vandal Proof Body

Perfect selection of material &
design to protect from vandalism



Hygienic Environment

Keeps your hands
and washroom germ free



Must for Green buildings

lesser carbon footprint as
compared to regular products

KMR43A

(Automatic Tissue Roll Dispenser,
Hand Dryer & Waste Receptacle)



BRUSHLESS
MOTOR



HI SPEED
HAND DRYER



NERO



AMBRIA

KEY FEATURES

Mounting : Recessed

Construction : 304 Grade Stainless Steel

Finish : Stainless Steel

Paper Dispenser Power : Electrical or Battery
Operated (4 x D Size Alkaline Batteries)

Waste Receptacle Capacity : 23 Litres

Hand Dryer Motor : Brushless


Hand Dryer Power : 1350W

Sensor Range : 12 cm – 15 cm

Protection Class : IPX1

Wall Opening Required : 340mm (W) x
1665mm (H) x 170mm (D)

Warranty : 1 Year



Automatic
Tissue Roll
Dispenser


Hand Dryer

Waste
Receptacle



KMR2N

(Hand Dryer + Tissue Dispenser
+ Waste Receptacle)



BRUSHLESS
MOTOR



HI SPEED
HAND DRYER



NERO



AMBRIA

KEY FEATURES

Mounting : Recessed

Construction : 304 Grade Stainless Steel

Finish : Steel, Satin Finish

Paper Dispenser Capacity : 600 C-Fold
or 800 Multi Fold Paper Towel

Waste Receptacle Capacity : 21 Litres

Hand Dryer Motor : Brushless


Hand Dryer Power : 1350W

Sensor Range : 12 cm – 15 cm

Protection Class : IPX1

Wall Opening Required : 315mm (W) x
1665mm (H) x 130mm (D)

Warranty : 1 Year



Paper Dispenser

Hand Dryer

Waste Receptacle



KHDW5

(Hand Dryer + Waste Receptacle)




BRUSHLESS MOTOR



KEY FEATURES

- Mounting :** Recessed
- Construction :** 304 Grade Stainless Steel
- Finish :** Steel, Satin Finish
- Waste Receptacle Capacity :** 21 Litres
- Hand Dryer Power :** 1350W
- Hand Dryer Motor :** Brushless
- Motor Speed :** 25,000 RPM
- Blowing Volume :** > 270 m3/h
- Air Speed :** 95 m/s
- Sensor Range :** 12 cm – 15 cm
- Protection Class :** IPX1
- Wall Opening Required :** 315mm (W) x 1130mm (H) x 130mm (D)
- Warranty :** 1 year




KPD14A

(Automatic Tissue Roll Dispenser + Waste Receptacle)




KEY FEATURES

- Mounting :** Recessed
- Construction :** 304 Grade Stainless Steel
- Finish :** Steel, Satin Finish
- Paper Dispenser Power :** Electrical or Battery Operated (4 x D Size Alkaline Batteries)
- Waste Receptacle Capacity :** 35 Litres
- Wall Opening Required :** 335mm (W) x 1435mm (H) x 165mm (D)
- Warranty :** 1 year



KPDRN
(Tissue Dispenser + Waste Receptacle)



KEY FEATURES

Mounting : Recessed

Construction : 304 Grade Stainless Steel

Finish : Steel, Satin Finish

Paper Dispenser Capacity : 600 C-Fold or 800 Multi Fold Paper Towel


Waste Receptacle Capacity : 45.5 Liters

Wall Opening Required : 397mm (W) x 1384mm (H) x 115mm (D)

Warranty : 1 Year



KPD3S
(Tissue Dispenser + Waste Receptacle) - Mini



KEY FEATURES

Mounting : Recessed

Construction : 304 Grade Stainless Steel

Finish : Steel, Satin Finish

Paper Dispenser Capacity : 600 C-Fold or 800 Multi Fold Paper Towel

Waste Receptacle Capacity : 12 Litres


Wall Opening Required : 370mm (W) x 672mm (H) x 105mm (D)

Warranty : 1 Year



KPDN

(Tissue Dispenser + Waste Receptacle)



KEY FEATURES

Mounting : Recessed

Construction : 304 Grade Stainless Steel

Finish : Steel, Satin Finish

Paper Dispenser Capacity : 600 C-Fold or 800 Multi Fold Paper Towel

Waste Receptacle Capacity : 24 Litres

Wall Opening Required : 325 mm (W) x 1365 mm (H) x 120 mm (D)

Warranty : 1 Year


Paper Dispenser

Waste Receptacle



KPD2E

(Tissue Dispenser + Waste Receptacle)



KEY FEATURES

Mounting : Surface Mount

Construction : 304 Grade Stainless Steel

Finish : Steel, Satin Finish

Paper Dispenser Capacity : 600 C-Fold or 800 Multi Fold Paper Towel

Size : 435 mm (W) x 1425 mm (H) x 110 mm (D)

Waste Receptacle Capacity : 45.5 Litres

Warranty : 1 Year

Paper Dispenser

Waste Receptacle



SMART TECHNOLOGY
THAT BRINGS,
ENERGY EFFICIENCY
& HYGIENE



SENSOR URINALS WC FLUSHER

Smart technologies from Euronics inspire, presents washroom sensor - urinals, WC flusher with not only smart looks but high on utility & performance.

Full-range of designed products to offer performance & maintain hygienic environment.

Perfect products for Green Building projects.



**Saves water
& environment**
Keeps your hands
and washroom germ free



**Must for
Green buildings**
lesser carbon footprint as
compared to regular products



**Solar
Power**
Usage of alternate power
not only to save money
but environment

EU77BE

SENSOR URINAL FLUSHER

Recessed

Operation : Self Flush Infra-Red Sensor + Manual Push Button

Working Water Pressure : 0.1 MPa - 0.7 MPa


Sensing Range : 65 cm

Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Dia of Inlet/ Outlet Pipe :

Dn 15 (G1/2")

Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	0.22 L	0.33 L	0.40 L



EU44E

SENSOR URINAL FLUSHER

Recessed

Operation : Self Flush Infra-Red Sensor

Working Water Pressure : 0.1 MPa - 0.7 MPa


Sensing Range : 65 cm

Power : Electrical (AC 220V, 50Hz)

Dia of Inlet/ Outlet Pipe :

Dn 15 (G1/2")

Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	0.22 L	0.33 L	0.40 L



EU03

OUTWALL URINAL FLUSHER

Operation : Self Flush Infra-Red Sensor

Working Water Pressure : 0.1 MPa - 0.7 MPa

Sensing Range : 10-20 cm

Power : Battery (4 x AA Duracell)

Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	0.22 L	0.33 L	0.40 L



EW01

SENSOR TOILET FLUSHER

WC Area Recessed


Operation : Self Flush Infra-Red Sensor

Sensing Range : 65 cm

Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Dia of Inlet/ Outlet Pipe : 1 inch

Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	4.62 L	6.42 L	7.2 L



KUF

AUTOMATIC URINAL

Concealed Sensor

Operation : Automatic Self Flush Infra-Red Sensor


Water Output : 0.5 L ~ 1 L / Flush Intelligent Technology

Sensing Range : 40-70cm

Mount : Wall

Power : Electrical (AC 200V, 50Hz) or Battery (4 x AA Duracell)

Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	0.22 L	0.33 L	0.40 L



THE TOUCHLESS WONDER

AUTOMATIC TAP



ET18

AUTOMATIC TAP

Basin Mount

Operation : Automatic Infra-Red Sensor

Inlet Water Pressure : 0.2 - 0.6 MPA

Sensing Range : 09-20 cm


Power : Electrical (AC 220V, 50Hz) +
Battery (4 x AA Duracell)

Finish : Chrome - Plated

Battery Consumption : 30,000 Shots
(4 X AA Duracell Batteries)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET04

AUTOMATIC TAP

Basin Mount

Operation : Automatic Infra-Red Sensor

Sensing Range : 09-20cm


Power : Electrical (AC 220V, 50Hz + Battery
(4 x AA Duracell)

Battery Consumption : 30,000 Shots (4 X
AA Duracell Batteries)

Finish : Chrome - Plated

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET05NW

AUTOMATIC TAP

Basin Mount

Operation : Automatic Infra-Red Sensor


Water Pressure: 1.5 to 4.0 Bar (Min 1 bar
working pressure required)

Sensing Range: 09 - 20 cm

Power : Electrical (AC 220V, 50Hz) +
Battery (4 x AA Duracell)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET08VS

AUTOMATIC TAP

Basin Mount

Operation : Automatic Infra-Red Sensor

Water Pressure : 1.5 to 4.0 Bar (Min 1 bar working pressure required)


Sensing Range : 09 - 20 cm

Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Battery Consumption : 30,000 Shots (4 X AA Duracell Batteries)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET11

AUTOMATIC TAP

Basin Mount

Operation : Automatic Infra-Red Sensor


Battery Consumption : 30,000 Shots (4 X AA Duracell Batteries)

Sensing Range : 09 - 20 cm

Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET15

AUTOMTIC TAP

Basin Mount

Operation : Automatic Infra-Red Sensor

Inlet Water Pressure: 1.5 to 4.0 Bar (Min 1 bar working pressure required)


Sensing Range: 09 - 20 cm

Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Battery Consumption : 30,000 Shots (4 X AA Duracell Batteries)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET16

AUTOMATIC TAP

Basin Mount

Operation : Automatic Infra-Red Sensor

Inlet Water Pressure: 0.2 - 0.6 MPA


Sensing Range: 09 - 20 cm

Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Battery Consumption : 30,000 Shots (4 X AA Duracell Batteries)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET02HC

AUTOMATIC TAP

(LEVER WITH HOT & COLD WATER PROVISION)

Basin Mount

Operation : Automatic Infra-Red Sensor


Power : Electrical (AC 220V, 50Hz) or Battery (4 x AA Duracell)

Detecting Distance : 09 - 20cm (Faucet)

Finish : Chrome-Plated

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



KSDT10

Auto Tap Cum Soap

Dispenser (2 IN 1)

Basin Mount

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V/50Hz) or (4 x D Size Alkalline Batteries)

Liquid Volume (Soap Dispenser) : 1500ml


Detecting Distance : 09-20 cm

Inlet Water Pressure : 1.5 to 4.0 Bar (Min 1 bar Working pressure required)

Mechanism & Soap Refill : Under the Counter

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



KSD12L

AUTO TAP CUM SOAP DISPENSER (2 IN 1)
Counter Mount

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V/50Hz)

Liquid Volume (Soap Dispenser) : 1500ml


Detecting Distance : 09-20 cm

Inlet Water Pressure : 0.2 to 0.6 Bar (Min 1 bar Working pressure required)

Mechanism & Soap Refill : Under the Counter

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET01BE

AUTOMATIC TAP
Basin Mount

Operation : Automatic Infra-Red Sensor


Power : Electrical (AC 220V, 50Hz) or Battery (4 x AA Duracell)

Sensing Range : 09 - 20cm

Finish : Chrome-Plated

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET28L

AUTOMATIC TAP
Counter Mount

Operation : Automatic Infra-Red Sensor

Inlet Water Pressure : 0.2 - 0.6 MPA

Sensing Range : 09-20 cm


Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Finish : Chrome - Plated

Battery Consumption : 30,000 Shots (4 X AA Duracell Batteries)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET14L

AUTOMATIC TAP (LONG BODY)
Counter Mount

Operation : Automatic Infra-Red Sensor

Water Pressure: 1.5 to 4.0 Bar (Min 1 bar working pressure required)


Sensing Range: 09 - 20 cm

Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Finish : Chrome - Plated

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET06L

AUTOMATIC TAP (LONG BODY)
Counter Mount

Operation : Automatic Infra-Red Sensor

Water Pressure: 1.5 to 4.0 Bar (Min 1 bar working pressure required)


Sensing Range: 09 - 20 cm

Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Battery Consumption : 30,000 Shots (4 X AA Duracell Batteries)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET09VL

AUTOMATIC TAP (LONG BODY)
Counter Mount

Operation : Automatic Infra-Red Sensor

Water Pressure : 1.5 to 4.0 Bar (Min 1 bar working pressure required)


Sensing Range : 09 - 20 cm

Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Battery Consumption : 30,000 Shots (4 X AA Duracell Batteries)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET12L

AUTOMATIC TAP (LONG BODY)
Counter Mount

Operation : Automatic Infra-Red Sensor


Battery Consumption : 30,000 Shots
(4 X AA Duracell Batteries)

Sensing Range : 09 – 20 cm

Power : Electrical (AC 220V, 50Hz)
+ Battery (4 x AA Duracell)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



KHDT15

**AUTOMATIC HAND DRYER +
AUTOMATIC TAP (2 IN 1)**
Counter Mount

Rated Power : 1350W

Sensing Distance : 8-12cm

Air Speed : 90m/s

Waterproof : IPX4


Sensing type : Infrared Sensing

Drying Time : 10-15 sec

Air temperature : 25-40°C

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET77BE

AUTOMATIC TAP
Wall Mount

Operation : Automatic Infra-Red Sensor


Water Pressure : 1.0 to 4.0 Bar (Min 1 bar
working pressure required)

Sensing Range : 08 - 12 cm

Power : Electrical (AC 220V/50Hz)
+ Battery (4 x AA Size)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



KSDT7W

Auto Tap Cum
Soap Dispenser (2 IN 1)
Wall Mount

Operation : Automatic Infra-Red Sensor


Water Pressure: 0.2 - 0.6 MPA

Sensing Range: 08 - 12 cm

Power : Electrical (AC 220V/50Hz)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year



ET20

AUTOMATIC TAP
Ceiling Mount

Operation : Automatic Infra-Red Sensor

Inlet Water Pressure: 1.5 to 4.0 Bar (Min 1
bar working pressure required)


Sensing Range: 09 – 20 cm

Power : Electrical (AC 220V, 50Hz) +
Battery (4 x AA Duracell)

Battery Consumption : 30,000 Shots (4
X AA Duracell Batteries)

Warranty on Body : 10 Years

Warranty on Parts : 1 Year





AUTOMATIC CONCEALED CISTERNS

Smart technologies from EURONICS inspire, presents automatic concealed cistern for washrooms with not only smart looks but high on utility & performance.

Full-range of designed products to offer performance & maintain hygienic environment.

Perfect products for Green Building projects.




Long Lasting Life

Full assurance of best quality
304 grade stainless steel



Vandal Proof Body

Perfect selection of material &
design to protect from vandalism



Hygienic Environment

Keeps your hands
and washroom germ free



Must for Green buildings

lesser carbon footprint as
compared to regular products

EACC09A


AUTOMATIC CONCEALED CISTERN WITH FULL FRAME

Fully Automatic

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




ECC01FA

MANUAL CONCEALED CISTERN WITH FULL FRAME

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




ECC03HA

MANUAL CONCEALED CISTERN WITH HALF FRAME

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




ECC05NA

MANUAL CONCEALED CISTERN FRAMELESS

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




ECC07 P01

FLUSH PLATE CHROME

Material: Chrome

Application: Concealed Cistern




HEALTH FAUCET



EHF01-CP HEALTH FAUCET

Operational Pressure: 0.6 MPA
Recommended Operating Pressure: 0.1-0.4 MPA
Flow Rate


Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	3 LPM	9.5 LPM	12 LPM



EHF05-CP HEALTH FAUCET

Operational Pressure: 0.6 MPA
Recommended Operating Pressure: 0.1-0.4 MPA
Flow Rate

Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	3 LPM	10.5 LPM	13.5 LPM





PIONEERING WASHROOM
AUTOMATION SOLUTIONS

visit www.euronics.co.in

AUTOMATIC PAPER DISPENSERS WASTE RECEPTACLE

Smart technologies from EURONICS inspire, presents Automatic paper dispensers, holders & waste receptacle, that gives a quick & easy, professional look with a dash of utility & performance.

Sturdy built and designed to maintain hygiene, makes it the preferred choice.




Long Lasting Life

Full assurance of best quality
304 grade stainless steel



Vandal Proof Body

Perfect selection of material & design to protect from vandalism



Hygienic Environment

Keeps your hands and washroom germ free



Must for Green buildings


lesser carbon footprint as compared to regular products

EP28

AUTOMATIC HRT

TISSUE PAPER ROLL DISPENSER

Mounting : Surface
Cabinet : 304 Grade Stainless Steel
Operations : Automatic Infra-Red Sensor
Power : Electrical (AC 220V/50Hz)
Application : Washbasin Area
Paper Roll Size : Width 200mm




EP38R

AUTOMATIC HRT

TISSUE PAPER ROLL DISPENSER

RECESSED

Cabinet : 304, Stainless Steel
Operations : Infrared Sensor
Power : Electricity + Battery (D Size 4 pcs)
Application : Washbasin Area
Paper Roll Size : Width 200mm




EP19

AUTOMATIC HRT

TISSUE PAPER TOWEL DISPENSER

Mounting: Exposed
Cabinet: ABS Plastic
Operations: Infrared Sensor
Power: Electricity + Battery
Paper Roll Size : Width 200mm
Warranty : 1 year




EP17

AUTOCUT HRT

TISSUE HAND TOWEL DISPENSER

Mounting: Exposed
Cabinet: ABS Plastic
Application: Washbasin Area
Paper Roll Size : Width 200mm
Warranty : 1 year




BPD

BEHIND MIRROR

PAPER DISPENSER

Mounting : Behind Mirror
Material : 304 Grade Stainless Steel
Capacity : 600 C-fold or 800 multifold paper towels.
Filling : Loading from bottom




EP01

PAPER TOWEL DISPENSER

Wall Mount

Mounting : Exposed
Cabinet : 304 Grade Stainless Steel
Application : Washbasin Area
Capacity : 500 C-fold / Multifold




EP02

PAPER TOWEL DISPENSER

Wall Mount

Mounting : Exposed
Cabinet : 304 Grade Stainless Steel
Application : Washbasin Area
Capacity : 300 C-fold / Multifold




RPD2

RECESSED

PAPER DISPENSER


Mounting : Recessed
Cabinet : 304 Grade Stainless Steel
Finish : Steel, Satin
Application : Washbasin Area Adjustable dispense length
Capacity : 600 C-Fold or 800 Multi Fold Paper Towel



EP23N

PAPER TOWEL DISPENSER


Mounting : Exposed
Construction : ABS Plastic
Application : Washbasin Area
Paper Type : C Fold / M Fold
Capacity : 300 - 450 Tissues



EP33

SMALL PAPER TOWEL DISPENSER


Construction : ABS Plastic
Installation : Wall Mounted
Capacity : C/M Fold, Small (300 Tissues)



EJ01

JUMBO ROLL TISSUE DISPENSER WALL MOUNT


Mounting : Exposed
Cabinet : 304 Grade Stainless Steel
Application : WC Area
Length of Roll : 250 - 300 Meter



EJ34

JUMBO ROLL TISSUE DISPENSER WALL MOUNT


Mounting : Exposed
Construction : 304 Grade, Stainless Steel
Application : WC Area
Length of Roll : 250 - 300 mtrs



EJ24 JRT

JUMBO ROLL TISSUE DISPENSER


Mounting : Exposed
Construction : ABS Plastic
Application : WC Area
Length of Roll : 250 - 300 Mtrs



EHBT01

HYGIENIC BATHROOM TISSUE DISPENSER


Cabinet : 304 Grade, Stainless Steel
Mounting : Wall
Capacity : Folded HBT Tissues



KWR

WASTE RECEPTACLE


Mounting : Exposed
Construction : 304 Grade, Stainless Steel, Equipped With Inside Steel Liner To Remove The Disposable
Capacity : 16 Litres
Warranty : 1 Year



PKWR02

WALL MOUNTED BIN

Material : ABS Plastic
Capacity : 32L
Installation : Wall mounted & Floor Standing
Color : White



CWC3


SWING CIRCULAR WASTE RING

Material : 304 Grade, Stainless Steel

Diameter : Outside 240mm, Inside 200mm

Chute Depth : 103mm

Application : Washbasin Area



CWC10

SWING RECTANGULAR WASTE CHUTE WITH ROUNDED CORNERS

Mounting : Recessed


Material : 304 Grade, Stainless Steel

Outside Width : 260mm

Inside Width : 210mm

Depth : 51.5mm

Application : Washbasin Area



CWC2


COUNTER TOP WASTE CHUTE

Material : 316 Grade, Stainless Steel

Diameter : Outside 161mm, Inside 140mm

Chute Depth: 133mm

Application : Washbasin Area




EPH04F

TOILET PAPER HOLDER (With Flap)

Material : 304 Grade Stainless Steel

Application : WC Cubicle Area




EPH02

TOILET PAPER HOLDER Wall Mount

Material : 18-8 S, Type-304, Stainless Steel

Application : WC Cubicle Area





EPH06P

TWIN TOILET PAPER HOLDER (With Mobile Stand)

Material : 304 Grade Stainless Steel

Application : WC Cubicle Area




EPH07

TOILET PAPER HOLDER (With Mobile Stand)

Material : 304 Grade Stainless Steel

Application : WC Cubicle Area




EPH10

TWIN TOILET PAPER HOLDER (With Mobile Stand)

Material : 304 Grade Stainless Steel (Satin Finish)

Application : WC Cubicle Area





EPH11S

PAPER HOLDER (With Mobile Stand)

Material : 304 Grade Stainless Steel (Satin Finish)

Application : WC Cubicle Area



ESN03S


SANITARY NAPKIN **HYGIENE PANEL (3 IN 1)**
Wall Mount

Combination : Toilet Paper Holder / Disposable Bag Dispenser / Waste Receptacle

Material : 304 Grade Stainless Steel

Waste Receptacle Capacity : 4.6 Litre
Equipped With Full-length Stainless Steel Piano Flap

Disposable Bags Capacity : 50 bags



ESN05


SANITARY NAPKIN & **DISPOSABLE BAG DISPENSER**
WALL MOUNT

Combination : Sanitary Napkin Dispenser, Disposable Bag Dispenser

Material : 304 Grade Stainless Steel

Sanitary Napkin Capacity: 20-25Pcs

Disposable Bags Capacity : 50 bags



ESN04B

SANITARY NAPKIN **HYGIENE PANEL (4 IN 1)**
Wall Mount


Combination : Sanitary Napkin Dispenser / Toilet Paper Holder / Disposable Bag Dispenser / Waste Receptacle

Material : 304 Grade Stainless Steel

Sanitary Napkin Capacity : 20-25 Pcs

Waste Receptacle Capacity : 4.6 Litre
Equipped With Full-length Stainless Steel Piano Flap

Disposable Bags Capacity: 50 bags




SWR5R

SANITARY NAPKIN **DISPOSAL**
Recessed

Cabinet : 304 Grade Stainless Steel

Capacity : 4.6 Litres, Equipped with inside

Application : Near WC Area, to dispose sanitary pads.




SWR 03

SANITARY NAPKIN **DISPOSAL**
Wall Mount

Cabinet : 304 Grade Stainless Steel

Capacity : 4.6 Litres, Equipped with inside Steel Liner to remove the disposable



PSWB18L


Sanitary Waste Bin
with Pedal

Material : ABS Plastic

Capacity : 18L

Open : Step on Pedal

Color : White





ES80A

AUTOMATIC SOAP DISPENSER

Wall Mount - High Traffic

Operation : Automatic Infra-Red Sensor


Power : Battery (6 x AA Alkaline Duracell)

Material : 304 Stainless Steel

Capacity : 700 ml

Sensing Range : 5-15 cm

Dispense Volume : 1-2ml



ES81A

AUTOMATIC SOAP DISPENSER

Wall Mount

Operation : Automatic Infra-Red Sensor


Power : Battery (4 x AA Alkaline Duracell)

Material : 304 Stainless Steel

Capacity : 1100 ml

Sensing Range : 8 cm

Dispense Volume : 1-2ml



ES83AC

AUTOMATIC SOAP DISPENSER

Wall Mount

Operation : Automatic Infra-Red Sensor


Power : Battery (4 x AA Alkaline Duracell)

Material : 304 Stainless Steel

Capacity : 1000 ml

Sensing Range : 5-9 cm

Dispense Volume : 1-2ml



ES82AS

AUTOMATIC SOAP DISPENSER

Wall Mount

Operation : Automatic Infra-Red Sensor



Power : Battery (4 x AA Alkaline Duracell)

Material : 304 Stainless Steel

Capacity : 1100 ml

Sensing Range : 5-15 cm

Dispense Volume : 1-2ml



ES06N

AUTOMATIC SOAP DISPENSER

Wall Mount

Operation : Automatic Infra-Red Sensor



Power : Battery (4 x AA Alkaline Duracell)

Material : ABS Casing

Capacity : 1100 ml

Sensing Range : 2 cm

Dispense Volume : 1-2ml



ES66

AUTOMATIC SOAP DISPENSER

Wall Mount

Operation : Automatic Infra-Red Sensor



Power : 4 x AA (LR6) Alkaline batteries

Material : ABS Casing

Capacity : 1000 ml

Sensing Range : 2 cm

Dispense Volume : 1-2ml



ESDT10


DIP TRAY

Material : Polypropylene (PP)

Installation : Attached to dispenser or Wall mounted

Suitable for : ES66/FES66

Color : White and Black



KSD18

AUTOMATIC SOAP DISPENSER Basin Mount


Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V/50Hz)

Material : Brass

Capacity : 1000 ml

Mechanism : Under the Counter



KSD14

AUTOMATIC SOAP DISPENSER Basin Mount



Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V/50Hz)

Material : Brass

Capacity : 1000 ml

Mechanism : Under the Counter



KSD2A

AUTOMATIC SOAP DISPENSER Basin Mount

Operation : Automatic Infra-Red Sensor



Power : Electrical (AC 220V, 50Hz)

Capacity : 1000 ML

Material : Brass

Mechanism : Under the counter

*Can be supplied in Battery Operation on special request. (Battery Required - 4xD Size)



KSD8L

AUTOMATIC SOAP DISPENSER Counter Mount

Operation : Automatic Infra-Red Sensor


Power : Electrical (AC 220V, 50Hz)

Capacity : 1000 ML

Material : Brass

Mechanism : Under the Counter

*Can be supplied in Battery Operation on special request. (Battery Required - 4xD Size)



KSD15

AUTOMATIC SOAP DISPENSER Basin Mount



Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V/50Hz)

Material : Brass

Capacity : 1000 ml

Mechanism : Under the Counter



KSD16

AUTOMATIC SOAP DISPENSER Basin Mount



Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V/50Hz)

Material : Brass

Capacity : 1000 ml

Mechanism : Under the Counter



KSD5T

AUTOMATIC SOAP DISPENSER

Basin Counter

Operation : Automatic Infra-Red Sensor


Power : Electrical (AC 220V, 50Hz)

Material : Brass

Finish : Chrome Plating

Capacity : 1000 ml

Soap Refill & Mechanism : Under the counter



KSD9L

AUTOMATIC SOAP DISPENSER

Counter Mount

Operation : Automatic Infra-Red Sensor


Power : Electrical (AC 220V, 50Hz)

Material : Brass

Finish : Chrome Plating

Capacity : 1000 ml

Soap Refill & Mechanism : Under the counter



KSD4W

AUTOMATIC SOAP DISPENSER

Wall Mount


Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V, 50Hz)

Material : Brass

Finish : Chrome Plating

Capacity : 1000 ml



ES37

MANUAL SOAP DISPENSER


Under Counter - Light Duty

Operation : Manual, Under Counter

Material : Brass - Pump

Finish : Brass - Pump (Piston, Spout and Top Cover)

Capacity: 1000 ML



KSD1

MANUAL SOAP DISPENSER


Wall Mount - High Traffic

Operation : Manual

Container : 304 Grade, Stainless Steel

Material : Non Corrosive Steel

Capacity : 400 ML



ES09


MANUAL SOAP DISPENSER

Wall Mount - High Traffic

Operation : Manual

Material : 304 Grade Stainless Steel

Capacity : 450 ML



ES11


MANUAL SOAP DISPENSER

Wall Mount - High Traffic

Operation : Manual

Material : 304 Grade Stainless Steel

Capacity : 190 ML



ES12


MANUAL SOAP DISPENSER Wall Mount

Operation : Manual

Material : 304 Grade Stainless Steel

Capacity : 450 ML

Valve : Brass Cylinder, Stainless



ES04

MANUAL SOAP DISPENSER Wall Mount - Low Traffic


Operation : Manual

Container : 304 Grade, Stainless Steel

Material : Non Corrosive Steel

Capacity : 1000 ML

Valve : Brass Cylinder, Stainless Steel Spring



ES24R

MANUAL SOAP DISPENSER Wall Mount (Recessed)


Operation : Manual

Material : 304 Grade, Stainless Steel

Mounting : Recessed

Capacity : 1000 ML

Valve : Brass Cylinder, Stainless Steel Spring



ES14H

HORIZONTAL SOAP DISPENSER Wall Mount - Medium Traffic


Operation : Manual

Mounting : Wall Mount

Container : 304 Grade, Stainless Steel

Capacity : 1250 ML

Valve : Brass Cylinder, Stainless Steel Spring




ES43

MANUAL SOAP DISPENSER Wall Mount

Operation : Manual

Construction : ABS Plastic

Capacity : 1000ml



EA51


SOAP DISPENSER Wall Mount

Operation : Manual

Construction : ABS Plastic

Capacity : 300 ml

Pump Option : Gel/Liquid



EA52


TWIN DISPENSER Wall Mount

Operation : Manual

Construction : ABS Plastic

Capacity : 300 x 2ml

Pump Option : Gel/Liquid



EA53


TRIPLE DISPENSER Wall Mount

Operation : Manual

Construction : ABS Plastic

Capacity : 300 x 3ml

Pump Option : Gel/Liquid






BPD BEHIND MIRROR PAPER DISPENSER

Mounting : Behind Mirror

Material : 304 Grade Stainless Steel

Capacity : 600 C-fold or 800 multifold paper towels.

Filling : Loading from bottom



RHD RECESS HAND DRYER

Voltage : AC220-240V

Phase : Single-phase

Input : 1150W-1350W

Wind Speed : 53m/s


Heating Power : 650W

Motor : Brush motor

Sensing Distance : 9-15cm

Protection Class : IPX1

Speed : 25,000 RPM



BSD BEHIND MIRROR SOAP DISPENSER

Operation : Automatic Infra-Red Sensor



Power : Electrical (AC 220V, 50Hz)

Capacity : 1000ml

Material : Brass with Chrome Plating

Finish : Mirror

Sensing Range : 5-15 cm



BEHIND MIRROR SERIES




SANITIZER &
FRAGRANCE DISPENSER

EST83

AUTOMATIC HAND SANITIZER
Wall Mount


Operation : Automatic Infra-Red Sensor
Power : Battery (4 x AA Alkaline Duracell)
Material : 304 Stainless Steel
Capacity : 1000 ml
Sensing Range : 5-9 cm
Dispense Volume : 1-2ml



EST80H

AUTOMATIC HAND SANITIZER
Wall Mount


Operation : Automatic Infra-Red Sensor
Power : Battery (6 x AA Alkaline Duracell)
Material : 304 Stainless Steel
Capacity : 700 ml
Sensing Range : 5-15 cm
Spray Amount : 1-2ml
Compound Used : IPA Soft Gel



EST82

AUTOMATIC HAND SANITIZER
Wall Mount


Operation : Automatic Infra-Red Sensor
Power : Battery (4 x AA Alkaline Duracell)
Material : 304 Stainless Steel
Capacity : 1100 ml
Sensing Range : 5-15 cm
Dispense Volume : 1-2ml



EST81

AUTOMATIC HAND SANITIZER Wall Mount


Operation : Automatic Infra-Red Sensor
Power : Battery (4 x AA Alkaline Duracell)
Material : Stainless Steel #316 Grade
Capacity : 1100 ml
Sensing Range : 8 cm
Spray Amount : 1~2ml
Liquid : Isoprophyle Alcohol (IPA)



EST02N

AUTOMATIC HAND SANITIZER Wall Mount


Operation : Automatic Infra-Red Sensor
Power : Battery (4 x AA Alkaline Duracell)
Material : ABS Casing
Capacity : 1100 ml
Sensing Range : 8 cm
Spray Amount : 2ml
Liquid : Isoprophyle Alcohol (IPA)



EA66S

FRAGRANCE DISPENSER LCD-WITH TIMER PROGRAMMING


Power : Battery 2 x AA Size
Material : 304 Grade Stainless Steel
Spray Interval : Digital Programming (Timer)
Installation : Wall Mounted



EA55

FRAGRANCE DISPENSER LCD-WITH TIMER PROGRAMMING


Power : Battery 2 x AA Size
Material : ABS Plastic
Spray Interval : Digital Programming (Timer)
Installation : Wall Mounted



EA44

FRAGRANCE DISPENSER DIGITAL LED

Construction : ABS Plastic
Power : Battery (2 x D Size Alkaline)
Spray Interval : 7.5, 15, 30 mins
Option : Day / Night / 24Hrs
Refill Can : 100 ml





ACCESSORIES DESIGNED TO
EXTEND SUPPORT & COMFORT
EVEN TO THE CHALLENGED

NEED & SUPPORT ACCESSORIES

EURONICS inspire, offers a wide range of washroom accessories, fixtures & fittings for both normal & disabled-access usage.

All designed and made in #304 stainless steel grade, to provide durable & secure usage at demanding public amenities, facilitating easy operations and maintenance offering long lasting performance.


These are stylish, enhance the ambiance of the application area and suitable for all high traffic areas.



Lasts Long Life
Full assurance of best quality
304 grade stainless steel



Vandal Proof Body
Perfect selection of material & design to protect from vandalism



Hygienic Environment
Keeps your hands and washroom germ free



Must for Green buildings
lesser carbon footprint as compared to regular products

ESGR10

SPECIAL GRAB BAR

Material : Aluminum


Grip : Anti Slip Grip

Installation : Wall Mounted

Compatible : With all Types of WC's

Foldable : 90 Degree

Max Load Capacity : 160 Kg



EGR S02


SWING DISABLED GRAB BAR

Material : 304 Grade Stainless Steel

Diameter : 32 mm

Operation : Movable

(Horizontally & Vertically)




EGR03

U SHAPED DISABLED GRAB BAR

Material : 304 Grade Stainless Steel

Diameter : 32 mm

Finish : Satin




EGR5U

URINAL SAFETY STEEL GRAB BAR

Material : 304 Grade Stainless Steel

Finish : Satin

Diameter : 32 mm




EGR04

L SHAPED DISABLED GRAB BAR

Material : 304 Grade Stainless Steel

Diameter : 32 mm




EGR01

STRAIGHT DISABLED GRAB BAR

Material : 304 Grade Stainless Steel

Diameter : 32 mm

Sizes : 300mm, 450mm, 600mm, 750mm, 900mm, 1200mm



NGR01


STRAIGHT NYLON GRAB BAR

Material : Stainless Steel Tube Coated With Nylon

Diameter : 32 mm, 35 mm


Sizes : 300mm, 600mm

Color : Ivory, Water Resistant




NGR05
DISABLED GRAB BAR

Material : Stainless Steel Tube Coated with Nylon
Diameter : 32 mm
Color : Ivory



NGR S02
SWING NYLON GRAB BAR

Material : Stainless Steel Tube Coated with Nylon
Diameter : 35 mm
Back Plate : Stainless Steel
Color : Ivory
Operation : Movable
(Horizontally & Vertically)



NGR03
U SHAPED NYLON GRAB BAR

Material : Stainless Steel Tube Coated with Nylon
Diameter : 35 mm
Color : Ivory




NGR04
L SHAPE NYLON GRAB BAR

Material : Stainless Steel Tube Coated with Nylon
Diameter : 35 mm
Color : Ivory, Water Resistant




ESS20
FOLDING SHOWER SEAT

Material: Insulated Stainless Steel
Installation : Wall Mounted
Space Saver : Wall Hung Retractable
Foldable : 90 Degree
Max Load Capacity : 200 Kg
Dimensions : 360mm (W) x 175mm (H) x 298mm (D)
Warranty: 1 year




EDS01
DISABLED FOLDING SHOWER SEAT

Material : 18-8 S, Type-304, Stainless Steel
Sizes : 457mm x 371 mm
Color : Ivory, Water Resistant




NDS01
DISABLED FOLDING SHOWER SEAT

Material : Stainless Steel Tube Coated with Nylon
Diameter : 35 mm
Color : Ivory, Water Resistant



EPGR31
GRAB BAR WITH PADDED REST SEAT

Material : 304 Grade Stainless Steel
Finish : Satin Hand Rail with Padded Rest Seat





BABY DIAPER CHANGING STATION NUTURING PARENTHOOD

EDC4R

STAINLESS STEEL BABY DIAPER CHANGING STATION (RECESS)

Material : Stainless Steel #304, Satin Finish


Unit Dimensions : W-940 mm x H-585 mm

Depth (Closed) : 104 mm

Extension (Open) : 495mm

Maximum Load : 25 Kgs

***Equipped With Safety Belt To Secure
Baby When Changing Diapers**



EDC3S

STAINLESS STEEL BABY DIAPER CHANGING STATION

Material : Stainless Steel #304, Satin Finish


Unit Dimensions : W-905 mm x H-520 mm

Depth (Closed) : 104 mm

Extension (Open) : 495mm

Maximum Load : 25 Kgs

***Equipped With Safety Belt To Secure
Baby When Changing Diapers**




EDC1

BABY DIAPER CHANGING STATION

Material : High Quality HDPE
Unit Dimensions : W-823 mm x H-457 mm
Depth (Open) : 470 mm
Maximum Load : 25 Kgs

***Equipped With Safety Belt To Secure Baby When Changing Diapers**




EDC5W

BABY PROTECTION SEAT

Material : ABS
Dimensions (Open) : 290 x 665 x 305mm
Dimensions (Closed) : 290 x 665 x 90mm
Net Weight : 5.5 Kgs
Color : Grey

***Equipped With Safety Belt To Secure Baby When Changing Diapers**




EDC6V

BABY DIAPER CHANGING STATION

Material : High Quality HDPE
Dimensions (Open) : W-480 mm x H-870 x L-885 mm
Dimensions (Closed) : W-480 mm x H-870 x L-126 mm
Maximum Load : 50 Kgs

***Equipped With Safety Belt To Secure Baby When Changing Diapers**



EDC2

BABY PROTECTION SEAT

Material : High Quality HDPE
Unit Dimensions : W-340 mm x H-510mm
Depth (Opened) : 328mm
Maximum Load : 25 Kgs
Color : Grey

***Equipped With Safety Belt To Secure Baby When Changing Diapers**

